




Cable Management



MK Cable Management (Saudi Arabia) Ltd



SASO/BS CONDUITS



SSA 254/255 Conduits complying with BS6099
Standard length 3m Black or White

Ref No.	Outside Diameter	Max. Wall Thickness	Standard Pack
SSABS/2	20mm	1.6mm	150m
SSABS/3	25mm	1.8mm	120m
SSABS/4	32mm	2.1mm	60m
BS/5*	38mm	2.2mm	30m
BS/6*	50mm	2.5mm	30m

*complies with BS6099 only.

Manufactured in accordance with the Saudi Standard SSA 254/255 and complies with BS6099 section 2.2 medium mechanical stress. It provides excellent physical properties for flush and surface applications where heavy compressive strength is not required. Certified with SASO Quality Mark*.




ESP CONDUITS

BS6099 Conduits High Impact Heavy gauge
Standard length 3m Black or White

Ref No.	Outside Diameter	Max. Wall Thickness	Standard Pack
ESP/2	20mm	1.8mm	150m
ESP/3	25mm	1.9mm	120m
ESP/4	32mm	2.5mm	60m
ESP/5	38mm	2.5mm	30m
ESP/6	50mm	3.2mm	30m

Manufactured in accordance with BS6099 section 2.2 heavy mechanical stress and complies with all relevant requirement of 16th edition of IEE wiring regulation and provides high degree of protection. Also available in 2.9 Meters length, for export Quote Ref. 3/ESP.




US Sch. 40 CONDUIT

Standard length 3m Grey

Ref No.	Internal size	Outside Diameter	Standard Pack
SCP/10	1/2"	21.34mm	90m
SCP/15	3/4"	26.92mm	75m
SCP/20	1"	33.66mm	45m
SCP/30	1 1/2"	48.56mm	30m
SCP/35	2"	60.63mm	30m
SCP/45	3"	88.90mm	12m
SCP/55	4"	114.20mm	3m

Manufactured to NEMA TC-2 and UL 651 specifications, it provides a high degree of protection.




BS CONDUITS

BS6099 Conduits Medium Impact Medium gauge.
Supplied in 2.9m lengths for export Black Or White

Ref. No	Outside Diameter	Max. wall Thickness	Standard Pack
3/BS/2	20mm	1.6mm	145m
3/BS/3	25mm	1.8mm	116m
3/BS/4	32mm	2.1mm	58m
3/BS/5	38mm	2.2mm	29m
3/BS/6	50mm	2.5mm	29m

Manufactured in accordance with BS6099 section 2.2 medium mechanical stress and complies with all relevant requirement of 16th edition of IEE wiring regulation and provides high degree of protection.



HEAVY GAUGE

Couplings	Size mm	Packed
ESC/2	20	100
ESC/3	25	50
ESC/4	32	50
ESC/5	38	30
ESC/6	50	20
SCC15*	3/4"	50
SCC20*	1"	30

*Sch.40

Expansion

Couplings	Size mm	Packed
EEC/2	20	50
EEC/3	25	25
EEC/4	32	10
EEC/5	38	10
EEC/6	50	10

Adaptors

Male Thread	Size mm	Packed
EMA/2	20	100
EMA/3	25	50
EMA/4	32	25
EMA/5	38	25
EMA/6	50	10

Female Thread	Size mm	Packed
EFA/2	20	100
EFA/3	25	50
EFA/4	32	25
EFA/5	38	25
EFA/6	50	10

Spacer Bar

Saddles	Size mm	Packed
ESB/2	20	100
ESB/3	25	75
ESB/4	32	50
ESB/5	38	25
ESB/6	50	25

Strap

Saddles	Size mm	Packed
ES/2	20	100
ES/3	25	100
ES/4	32	50
ES/5	38	50
ES/6	50	50

Male Bushes

Size mm	Packed
SMB/2	500
SMB/3	250
SMB/4	100
SMB/5	25
SMB/6	25

Circular Lid

Size mm	Packed
EL/1	200
EL/2	50

Lockrings

Size mm	Packed
ECL/2	500
ECL/3	250
ECL/4	50
ECL/5	25
ECL/6	25

Bends

Size mm	Packed
ENB/2	30
ENB/3	20
ENB/4	100
ENB/5	60
ENB/6	25


Circular Boxes

Size mm	Packed
2/ECR/13	25
2/ECR/2	25
3/ECR/2	25
2/ECR/3	25
3/ECR/3	25
2/ECR/4	25
3/ECR/4	25
2/ECR/5	25
3/ECR/5	25
2/ECR/6	20
3/ECR/6	20

All Circular boxes are available with extended lugs for the support of heavy loads. For full range details please refer to MK Cable Management Catalogue.

All fittings are available in both Black and White colours.

New Products Now Available : Flanged Couplings - Ref : EFC/2-6
25mm Loop In Box 3/ECR/13




Standard Gauge Trunking

Ref. No.	Size mm	Packing
SGT/1	50 x 50	11.6m
SGT/2	75 x 50	11.6m
SGT/3	75 x 75	11.6m

16 x 16mm 25 x 16mm 32 x 12.5 mm 40 x 16mm 40x25mm 40 x 40mm 50 x 25mm 50 x 32mm

Mini Trunking	YT/1	58m	YT/2	58m	YT/200	30m	YT/3	30m	YT/4	29m	YT/5	29m	YT/6	30m	YT/7	29m
Speed fix Mini Trunking	SPF/1	60m	SPF/2	30m	SPF/200	30m	SPF/3	30m	SPF/4	30m						
Twin Compartment Trunking							ZT/3	30m	ZT/4	30m						
Couplings	Clip on Moulded	YC/1	20	YC/2	20	YC/200	20									
	Internal							YC/3	10	YC/4	10	YC/5	10			
End Caps	YEP/1	20	YEP/2	20	YEP/200	20	YEP/3	20	YEP/4	20	YEP/5	20	YEP/6	10	YEP/7	10
Flat Angles	Clip on Moulded	YAF/1	20	YAF/2	20	YAF/200	20	YAF/3	5	YAF/4	5	YAF/5	5			
	Fabricated												YAF/6	5	YAF/7	1
Internal Corners	Clip on Moulded	YAI/1	20	YAI/2	20	YAI/200	20	YAI/3	5	YAI/4	5	YAI/5	5			
	Fabricated												YAI/6	1	YAI/7	1
External Corners	Clip on Moulded	YAE/1	20	YAE/2	20	YAE/200	20	YAE/3	5	YAE/4	5	YAE/5	5			
	Fabricated												YAE/6	1	YAI/7	1
Side Tees	Clip on Moulded	YST/2/1		20	YST/200		20									
		(16 x 16 Aped)														
		YST/2/2		10												
Flat Tees	Clip on Moulded	YTF/1		20	YTF/2/1		20	YTF/200		20	YTF/3	5	YTF/4	5	YTF/5	5
		(16 x 16 Aperi)														
		YTF/2/2		20	YTF/4/2		5									
		(25 x 16 Aperi)		(25 x 16 Aperi)												
													YTF/6	1	YTF/7	1
Intersections 3 way	Left hand	YAL/2		10	YAL/200		10									
		YAR/2		10	YAR/200		10									
Adaptors	YEA/1	25	YEA/2	25	YEA/200	25	YEA/3	25								
	UEA	UEA/1	25	UAE/2	25	UEA/200	25	UEA/3	25							
	Side Mounting	YSA/1	10	YSA/2	10	YSA/200	10	YSA/3	5							
	YT/1 Square to 20mm Round	YTO/12	50													
Circular Boxes	YCR/1/EL	10	YCR/1/EL	10	YCR/200/1/EL	10	YCR/1/EL	10								
						YCR/200/2/EL	10									



EGAFLEX Conduit-BS4607 Part3

Ref. No.	Outside Diameter	Standard Pack	Adaptor (Nylon)
EF/2*	20mm	50m	FAB/2 WHI
EF/3*	25mm	50m	FAB/3 WHI
EF/4 WHI	32mm	25m	FAB/4 WHI

*Available in Black & White Colours

PVC Underfloor Ducting

Ref. No.	Size mm	Packing
UFD/125	50 X 25 X 2.5	29m
UFD/232	75 X 25 X 3.2	29m
UFD/332	100 X 25 X 3.2	29m



MK Cable Management (Saudi Arabia) Ltd. (Formerly Saudi Ega Ltd.) is a joint venture company with MK Electric, UK (part of Novar PLC) and is proud to be recognised throughout the Kingdom as the leading producer of high quality uPVC conduit, fittings and mini trunking.

Saudi Ega conduit has for many years been the first choice of consultants and specifiers in Saudi Arabia, and Saudi Ega products have been installed in many new and prestigious buildings throughout the Kingdom, for example:

- The Faisaliah Tower, Riyadh, Kingdom Tower Riyadh, Supreme Court Riyadh, Farsi Center, Jeddah, Toyota Center and the Ajaj Tower, Doha, Qatar etc.

The latest manufacturing and test equipment ensures that the highest product standards are maintained and every single item is produced to exactly the same high standards as those one would expect from, MK's own factories in the UK.

Saudi Ega conduit systems are manufactured in accordance with the relevant requirements of Saudi Arabian Standards SSA 254/255, and also with the requirements of BS 6099. The conduit manufacture is strictly monitored by the Saudi Arabian Standards Organisation to ensure compliance with its requirements at all times. Saudi Ega products meet the highest local and international standards and are ideally suited to the environmental conditions in the Kingdom.

MK Cable Management (Saudi Arabia) Ltd. is proud to have been awarded the S.A.S.O. Quality Mark - confirmation and reassurance to all customers, of the quality and reliability of Saudi Ega conduit.



MK Cable Management (Saudi Arabia) Ltd. is also proud to have built an enviable reputation throughout the industry and first class links with specifying bodies, contractors and dealers. Our sales engineers are always available to advise you on our products and their installation.

Saudi Ega conduit is available in 3 main types:- conforming to SASO 254/255, to BS 6099 and to US Schedule 40.

A full range of SASO British Standard fittings and mini trunking is also manufactured by MK Cable Management (Saudi Arabia) Ltd.

A full range of conduit fittings, trunking & floor distribution system are also available from MK Cable Management (Saudi Arabia) Ltd. - giving without doubt the most comprehensive Cable Management choice in the Kingdom.

For details of commercial/industrial trunking, PVC boxes, and a comprehensive choice of underfloor cable management systems, please refer to the MK Cable Management Catalogue.



10 Year Guarantee

MK Cable Management (Saudi Arabia) Limited undertakes to replace or repair at its discretion cable management products should they become defective within 10 years solely as a result of faulty materials or workmanship.

Understandably if the product has not been installed or maintained in accordance with the Company's instructions, has not been used appropriately or if any attempt has been made to rectify, dismantle or alter the product in any way the guarantee will be invalidated.

This guarantee does not in any way restrict or infringe upon the normal statutory rights of the customer.




شركة ام كي لأنظمة حماية الكابلات السعودية المحدودة (إيجا السعودية سابقاً) هي شركة مشاركة مع الشركة البريطانية ام كي إليكتروك المحدودة، (إحدى شركات مجموعة نوفار العالمية) وهي فخورة بمركزها في جميع أنحاء المملكة العربية السعودية كشركة رائدة مصنعة لنوعيات عالية من أنابيب وتركيبات المواسير والقنوات الصندوقية المصنوعة من يوب بي في سي.

أنابيب إيجا السعودية كانت لسنوات مضت ولا زالت الاختيار الأول للاستشاريين وواضعي مواصفات المشاريع في المملكة العربية السعودية، وان منتجات إيجا السعودية المحدودة قد تم تركيبها في العديد من المباني الحديثة الراقية في كافة أنحاء المملكة، فعلى سبيل المثال:

- برج الفيصلية في الرياض، وبرج المملكة في الرياض، والمحكمة الكبرى في الرياض، ومركز الفارسي بجده ومركز التويوتا وبرج عجاج في دوحة قطر وغيرها.

ان احداث معدات الصناعة والاختبار تضمن المحافظة على أفضل مستوى صناعي لكل منتج يصنع بدقة وفقاً لأرقى المواصفات، كما يتوقع من مثيله من مصانع ام كي في المملكة المتحدة.

أنظمة أنابيب إيجا السعودية تصنع وفقاً لمتطلبات مواصفات المملكة العربية السعودية م ق س ٢٥٤/



٢٥٥، وأيضاً وفقاً لمتطلبات المواصفات البريطانية بي اس ٦٠٩٩. ان صناعة الأنابيب يتم مراقبتها من الهيئة العربية السعودية للمواصفات والمقاييس لضمان موافقتها لمتطلباتها في كافة الأوقات. وهي مناسبة تماماً للظروف البيئية والمناخية في المملكة العربية السعودية. تضر شركة ام كي لأنظمة حماية الكابلات السعودية بمنحها شهادة الجودة من الهيئة العربية السعودية للمواصفات والمقاييس والتي تؤكد لعملائنا جودة منتجات إيجا السعودية ومدى اعتمادهم عليها. هذا وان شركة ام كي لأنظمة حماية الكابلات السعودية المحدودة فخورة أيضاً بالسعة الطيبة التي كونتها عند الهيئات الصناعية والاتصالات ذات الدرجة الأولى مع هيئات وضع المواصفات والمقاولين والتجار. ومهندسو المبيعات في الشركة هم دائماً على استعداد لتقديم المشورة حول منتجاتنا وكيفية تركيبها.

تتوفر أنابيب إيجا السعودية في أربعة أنواع رئيسية، طبقاً

لمواصفات الهيئة العربية السعودية للمواصفات والمقاييس رقم ٢٥٥/٢٥٤.

ونوع وفقاً للمواصفات البريطانية رقم ٦٠٩٩.

ونوع وفقاً للجداول الأمريكية رقم ٤٠.

التشكيلة الكاملة لتركيبات المواسير والقنوات الصندوقية طبقاً للمواصفات البريطانية وتصنع من قبل شركة ام كي السعودية لحماية الكابلات.

يتوفر لدى الشركة تشكيلة واسعة من الوصلات البلاستيكية، والتركيبات الصندوقية وانظمة التوزيع الأرضية، وبذلك فاننا نقدم بلاشك اكبر تشكيلة لادارة الكابلات في المملكة العربية السعودية.




Cert. No. Q16337

وللحصول على مزيد من المعلومات بخصوص التركيبات الصندوقية التجارية والصناعية وعلب التوصيلات الكهربائية، والاختيار الواسع لانظمة التوزيع الارضية، الرجاء الرجوع الى كتلوج ام كي لادارة الكابلات.



إدارة الكابلات



شركة إم كي لأنظمة حماية الكابلات (السعودية) المحدودة