

in•stan•ding / n'stænd ɪ / *n* **1** The wisdom of being able to distinguish exquisite from extravagant, substantial from superficial, and truly outstanding from merely standing out; **2** The ability to mix and match the best in life without being constrained by hype or stereotype; **3** The self-confidence that comes from being able to live with the approval of one's inner soul rather than conforming to peer-pressure; **4** A refusal to simply follow the crowd. □ *adj* A state of displaying in-standing characteristics, esp. in relation to behaviour or lifestyle

THE REVOLUTIONARY FULL-FLAT SWITCH

The Full-Flat form factor has redefined many facets in life. Aeroplane seats. TVs. Mobile phones. Electric stoves... And now switches.

Aesthetically pleasing flat switches are in fact available. But only exclusive to luxurious electronic switches and lighting automation systems. The ZENcelo Full-Flat switch has been created for the majority who use electro-mechanical switches. Even on switches you never imagined can be Full-Flat...

With ZENcelo, luxury is no longer defined by price. But by wisdom - and style.











ENABLED BY A NEW PHYSICS

Switch designs are limited by many factors, primarily the switch mechanism. The patent-pending “impress” (iso-motion-press) mechanism ensures the switch dolly remains stationary when it is “on” or “off”, and at the same time occupying a much smaller footprint. Freedom in design has become a reality.

Enabled by impress.mechanism, ZENcelo makes the future flatter than you ever imagined.




INDICATE THE CURRENT STATUS

Form does not sacrifice function.
Knowing when the Full-Flat switch is
turned on is not taken for granted.

The patent-pending “Ondicator”
changes to marigold when turned
“on”. And blends into the same
colour as the dolly when “off”.

Meticulously designed to the finest
detail – Not only for looks, but also for
practicality.



EMBRACE QUALITY

Made of corrosion resistant, heat resistant and impact resistant polycarbonate.

Data socket with patented integrated shutter.

Electrical socket with reinforced-nylon protective shutter.

Switches are electric arc encapsulated.

Philips head screw to fit both flat and cross head screwdrivers.





















Switches tested to 80,000 times. Sockets tested to 15,000 cycles. Durable to last more than a decade.


IEC, BS and/or IS compliant.

All RoHS compliant.

Standards

Category	Standard Compliance (where applicable)
Switches	IEC 60669-1, BS EN 60669-1
Sockets	BS 1363
DP Switches	IEC 60669-1, BS EN 60669-1
Dimmer	IEC 60669-2-1
Bell Press	IEC 60669-1, BS EN 60669-1
Cooker Control Unit	BS 4177
TV Socket	BS 5733:1995, BS 3041: Part 2 :1977, IEC 169-2:1977
Telephone Socket	BS 6312: 2.2, BS 5733:1979, BS 5733:1995

	Product Number	Product Description
Flush Switches		
 E8431/1  E8432/1  E8433/1  E8434/1	E8431/1	20A 1 Gang 1 Way Full-Flat Switch with Ondicator
	E8432/1	20A 2 Gang 1 Way Full-Flat Switch with Ondicator
	E8433/1	20A 3 Gang 1 Way Full-Flat Switch with Ondicator
	E8434/1	20A 4 Gang 1 Way Full-Flat Switch with Ondicator
	E8434T/1	20A 4 Gang 1 Way Switch with Ondicator (in 6"x3" size)
	E8431/2	20A 1 Gang 2 Way Full-Flat Switch
	E8432/2	20A 2 Gang 2 Way Full-Flat Switch
	E8433/2	20A 3 Gang 2 Way Full-Flat Switch
	E8434T/2	20A 4 Gang 2 Way Switch (in 6"x3" size)
Dimmer Switches (with memory push ON / OFF)		
 E8431EPD4  E8432EPD3	E8431EPD4	1 Gang 400W, 50Hz Full-Flat Universal Dimmer with LED
	E8432EPD3	2 Gang 300W, 50Hz Full-Flat Universal Dimmer with LED
	E8431EPD4/6	1 Gang 400W, 60Hz Full-Flat Universal Dimmer with LED
	E8432EPD3/6	2 Gang 300W, 60Hz Full-Flat Universal Dimmer with LED
Fan Control Switch		
	E8431SPF	1 Gang Full-Flat Fan Controller
Socket Outlets		
 E8415  E8415N  E84426U  E84426U2  E8415DN  E8415U  E8415D  E84426  E84T25  E84T25D  E84T25N  E84T25DN	E84426/5	5A 1 Gang 3 Round Pin Socket with Shutter
	E8415/5	5A 1 Gang 3 Round Pin Switched Socket with Shutter and Ondicator
	E8415/5N	5A 1 Gang 3 Round Pin Switched Socket with Shutter and Neon
	E84426/10S	10A 1 Gang 3 Flat Pin Socket with Shutter
	E84426/10US	10A 1 Gang 2 Universal Pin + 3 Flat Pin Socket with Shutter
	E84426U	10A 1 Gang Universal Socket
	E84426U2	10A 2 Gang Universal Socket
	E8415/10US	10A 1 Gang Switched 2 Universal Pin +3 Flat Pin Socket with Shutter and Ondicator
	E8415/10USN	10A 1 Gang Switched 2 Universal Pin +3 Flat Pin Socket with Shutter and Neon
	E8415U	10A 1 Gang Switched Universal Socket with Ondicator
	E8415/10S	10A 1 Gang 3 Flat Pin Switched Socket with Shutter and Ondicator
	E84426	13A 1 Gang Socket
	E84T426	13A Twin Gang Socket
	E8415	13A 1 Gang Switched Socket with Ondicator
	E84T25	13A Twin Gang Switched Socket with Ondicator
	E8415N	13A 1 Gang Switched Socket with Neon
	E84T25N	13A Twin Gang Switched Socket with Neon
	E8415D	13A 1 Gang Double Pole Switched Socket with Ondicator
	E84T25D	13A Twin Gang Double Pole Switched Socket with Ondicator
	E8415DN	13A 1 Gang Double Pole Switched Socket with Neon
	E84T25DN	13A Twin Gang Double Pole Switched Socket with Neon
	E84426/15	15A 1 Gang 3 Round Pin Socket with Shutter
	E8415/15	15A 1 Gang 3 Round Pin Switched Socket with Shutter and Ondicator
	E8415/15N	15A 1 Gang 3 Round Pin Switched Socket with Shutter and Neon
	E84426/16CS	16A 1 Gang Socket with Shutter
	E8415/16CS	16A 1 Gang Switched Socket with Shutter and Ondicator
	E8415/16CSN	16A 1 Gang Switched Socket with Shutter and Neon
	E84426/16S	16A 250V 1 Gang Schuko Socket
	E84T426/16S	16A 250V Twin Gang Schuko Socket
	E84426H6	6A 1 Gang 2/3 Pin Socket
	E84426H16/6	6-16A1 Gang 3 Pin Socket
Bell Switch		
 E8431BP1	E8431BP1	10A Full-Flat Bell Switch
Panic Button		
	E8431KPB	Panic Button with Key Reset
Double Pole Switches		
 E8431D20  E8432D20  E8431D45	E8431D20	20A 1 Gang Full-Flat Double Pole Switch with Neon
	E8432D20	20A 2 Gang Full-Flat Double Pole Switch with Neon
	E8431D32	32A 1 Gang Full-Flat Double Pole Rocker Switch with Neon
	E8431D45	45A 1 Gang Full-Flat Double Pole Rocker Switch with Neon
	E8431DT45	45A 1 Gang Full-Flat Double Pole Rocker Switch with Neon (in 6"x3" size)
Intermediate Switch		
 E8431/I	E8431/I	20A 1 Gang Full-Flat Intermediate Switch

	Product Number	Product Description
Connection and Control Units		
  E8431TB E84T15D45N	E8431TB E84554 E84T15D45N	25A Connection Unit 45A Connection Unit 45A Double Pole Switch + 13A Switched Socket
Fused Connection Units		
   E8430FSG E8430FSGN E8431DFSGN	E8430FSG E8430FSGN E8431DFSGN	1 Gang Fused Connection Unit 1 Gang Fused Connection Unit with Neon 1 Gang Fused Connection Unit with Switch and Neon
Telecommunication Accessories		
   E8431TVM E8431TVMF E8431TVS	E8431TVM E8431TVMF E8431TVS E8431TVSF E8431CATV E8432TVS E8432TVFMM E8431RJS4 E8432RJS4 E8431BT E8431RJ/5 E8431RJS/5 E8431RJ/6 E8431RJS/6 E8432RJ/5 E8432RJS/5 E8432RJ/6 E8432RJS/6 E8432TDRJ/5 E8432TDRJS/5 E8432TDRJ/6 E8432TDRJS/6 E8431RJ E8431RJS E8432RJ E8432RJS E8432TDRJS/6 E8431RJ E8431RJS	1 Gang TV Socket Master 1 Gang TV Socket Master, 5-1000 MHz, F Connection 1 Gang TV Socket Slave 1 Gang TV Socket Slave, 5-1000 MHz, F Connection 1 Gang CATV Socket 2 Gang TV Socket Slave 2 Gang TV Master/FM Socket 1 Gang Telephone Socket on Shuttered Wallplate 2 Gang Telephone Socket on Shuttered Wallplate 1 Gang 6 pin Telephone Socket (BT Standard) 1 Gang Data Outlet Category 5e with Integrated Shutter 1 Gang Data Outlet Category 5e on Shuttered Wallplate 1 Gang Data Outlet Category 6 with Integrated Shutter 1 Gang Data Outlet Category 6 on Shuttered Wallplate 2 Gang Data Outlet Category 5e with Integrated Shutter 2 Gang Data Outlet Category 5e on Shuttered Wallplate 2 Gang Data Outlet Category 6 with Integrated Shutter 2 Gang Data Outlet Category 6 on Shuttered Wallplate 2 Gang Telephone + Data Outlet Category 5e with Integrated Shutter 2 Gang Telephone + Data Outlet Category 5e on Shuttered Wallplate 2 Gang Telephone + Data Outlet Category 6 with Integrated Shutter 2 Gang Telephone + Data Outlet Category 6 on Shuttered Wallplate 1 Gang Wallplate without Modular Jack 1 Gang Shuttered Wallplate without Modular Jack 2 Gang Wallplate without Modular Jack 2 Gang Shuttered Wallplate without Modular Jack
Electronic Units		
	E84752D500 E84751	Infrared Dimmer Infrared Switch (Presence Detection)
Hotel Accessories		
 E84426/16IS	E8431EKT E8430DM E8430D E8431D E8432DM E8431BPD E8431BPM E8431BPDM E84T727V E84T727H E84426/16IS	Electronic Key Card Time Delay Switch Illuminated "Do Not Disturb" & "Please Clean Up" Symbols Illuminated "Do Not Disturb" Symbol 1 Gang Full-Flat Switch with Illuminated "Do Not Disturb" Symbol 2 Gang Full-Flat Switch with Illuminated "Do Not Disturb" & "Please Clean Up" Symbols 1 Gang Full-Flat Bell Switch with Illuminated "Do Not Disturb" Symbol 1 Gang Full-Flat Bell Switch with Illuminated "Please Clean Up" Symbol 1 Gang Full-Flat Bell Switch with Illuminated "Do Not Disturb" & "Please Clean Up" Symbols Universal Shaver Unit, Vertical (150/240V - 20VA) Universal Shaver Unit, Horizontal (150/240V - 20VA) 16A 1 Gang International Socket with Shutter (suitable for 2/3 pins 5A socket, 13A flat pin socket)
Flush Plates and Accessories		
  E8430X E8430TX	E8430X E8430TX	1 Gang Blank Plate Twin Gang Blank Plate

Please add below suffix for desired colour

WW - Timeless White

SZ - Silver Bronze



AUSTRALIA

Tel: +618 8269 0511
Fax: +618 8340 1724 / 8436 1678

CHINA

Tel: +86 021 6132 1288
Fax: +86 021 6350 0055

HONG KONG

Tel: +852 2487 0261
Fax: +852 2487 0110

INDIA

Tel: +91 11 41590000
Fax: +91 11 41678010 / 41678011

INDONESIA

Tel: +62 21 630 6430
Fax: +62 21 631 6279

KOREA

Tel: +82 2 1588 2630
Fax: +82 2 2631 5268

MALAYSIA

Tel: +603 5519 1111
Fax: +603 5519 4378

NEW ZEALAND

Tel: +64 9 576 3403
Fax: +64 9 576 1015

PAKISTAN

Tel: +92 21 506 7278
Fax: +92 21 506 3369

PHILIPPINES

Tel: +63 2 896 6063
Fax: +63 2 896 7229

SINGAPORE

Tel: +65 6415 3232/3233
Fax: +65 6415 3289

SOUTH AFRICA

Tel: +27 11 254 6400
Fax: +27 11 254 6640

TAIWAN

Tel: +886 2 8751 6388
Fax: +886 2 8751 6389

THAILAND

Tel: +662 617 5500
Fax: +662 617 5501

UNITED ARAB EMIRATES

Tel: +971 6 5570 777
Fax: +971 6 5570 333

UNITED KINGDOM

Tel: +44 870 608 8608
Fax: +44 870 608 8606

VIETNAM

Tel: +84 8 810 8773
Fax: +84 8 810 8776

www.full-flat-switch.com

www.clipsal.com

**Clipsal Middle East FZC**

P.O. Box: 61108, Jebel Ali Free Zone, Dubai - UAE

Tel: +971 4 8811697, Fax: +971 4 8811698

P.O. Box: 8181, Saif Zone, Sharjah - U.A.E

Tel: +971 6 5570777, Fax: +971 6 5570333

E-mail: clipsal@emirates.net.ae

CLIPSAL®

by **Schneider Electric**

ZENcelo
be in-standing

THE REVOLUTIONARY
FULL-FLAT
SWITCH
with
i'm'press TECHNOLOGY



// CLIPSAL[®]
by Schneider Electric